

ALPINE KB

Vanity Cabinets

Warranty Schedule & Care Guide

This Warranty Schedule applies specifically to Alpine KB Bathroom Vanity Cabinets purchased in Australia for domestic use. This schedule must be read in conjunction with the Alpine KB General Warranty Terms & Conditions, which govern all claims, exclusions, and statutory rights under the Australian Consumer Law.

Note: Vanity Tops (Ceramic, Engineered Stone, Acrylic) and Basins are covered under the separate Vanity Tops & Ceramics Warranty Schedule.

1. Warranty Coverage & Periods

Alpine KB warrants that Vanity Cabinet components are free from defects in materials and workmanship from the original date of purchase for the periods outlined below:

Component	Warranty Period	Remedy Coverage
Vanity Cabinets (MDF / Particleboard / PVC)	5 Years	Repair, Replacement Parts, or Complete Unit
Cabinet Fronts (Doors & Drawer Fronts)	5 Years	Repair, Replacement Parts, or Complete Unit
Drawer Runners & Door Hinges	5 Years	Replacement Parts
Handles	5 Years	Replacement Parts
Legs & Kickboards	5 Years	Replacement Parts

2. Category-Specific Exclusions

In addition to the general exclusions set out in the General Terms, this warranty does not cover:

Excluded Items: Vanity tops, basins, waste outlets, tapware, and mirrors (covered under their respective warranty schedules).

Moisture Damage on Non-PVC Cabinets: Swelling, warping, or blown edges on standard timber/MDF cabinets caused by standing water, leaking plumbing, or failure to dry spillages immediately. (Note: Standard vanity cabinets are water-resistant, not waterproof. Only designated PVC ranges are 100% waterproof).

Weight & Capacity Limits: Failure or drawer runner damage resulting from overloading drawers or placing excessive weight on open doors.

Installation Distortion & Structural Movement: Cabinet binding or misaligned doors caused by twisting or screwing the vanity cabinet out of square during wall installation. Door misalignment or runner failure resulting from house movement, foundation settling, or structural shifting after installation is excluded.

Sunlight & UV Fading: Natural aging, changes in gloss levels, or colour fading/yellowing caused by direct exposure to sunlight or UV radiation.

Silicone & Adhesive Damage: Damage to cabinet finishes caused by using harsh, solvent-based, or non-neutral cure silicones during installation.

3. Dedicated Vanity Care & Maintenance Guide

Proper care is essential to preserve the finish and structural integrity of your vanity cabinet. Failure to follow these guidelines may void your warranty.

Routine Cleaning

Clean: Wipe down surfaces using a soft microfiber cloth dampened with warm water and a small amount of mild, non-abrasive liquid dishwashing soap.

Dry: Immediately dry all surfaces, door edges, and seams with a clean microfiber cloth to prevent moisture penetration.

Managing Spills & Moisture

- Always wipe up water splashes, soap residue, or steam condensation immediately.
- Ensure adequate ventilation (e.g., operating an exhaust fan) in the bathroom during and after showers to prevent prolonged humidity build-up.

Prohibited Products (Will Void Warranty)

Abrasives: Steel wool, scouring pads, abrasive sponges, or cream cleansers (e.g., Jif, Gumption).

Harsh Chemicals & Solvents: Acetone, nail polish remover, bleach, ammonia-based glass cleaners, tile/grout cleaners, or alcohol/methylated spirits.

Waxes & Furniture Creams: Avoid polish or wax-based products as they leave a greasy residue that attracts dirt and ruins the finish.